M: 17-53
Seneca Stone Mill
(Seneca Quarry Cutting Building)
North bank of Potomac River,
west of Seneca Creek
Seneca

One of the two buildings remaining at the Seneca quarry is the stone-cutting building, on the east side of the quarry. It was constructed of Seneca stone finished in rectangular blocks, probably in the 1830s, and was doubled in size to its present dimensions sometime later than 1830. The four exterior and center walls are standing and are reasonably sound. Dimensions of the shell of the building were approximately 30' x 75' x 15'. Massive wooden beams formed lintels for doors, windows, and pulley shaft openings. A stone-lined trough, 5' x 6', ran through the building and provided the water, diverted from the C&O Canal, to power the turbine which operated the cutting and polishing machines. Over the saws were perforated pipes from which water dropped to prevent the saws from overheating.

An important feature of the Seneca quarry, this water-powered mill cut stone used in the construction of the original Smithsonian Institution building in 1849, as well as in the construction of the C&O Canal and many homes in Washington, D.C. and Georgetown. The mill was a vast improvement over the earlier method by which expert stonemasons would shape the blocks of stone by using hand tools. Yet the process was still slow and tedious; the stone was still quarried by hand and was brought to the mill in mule-drawn gondolas over a narrow-gauge railroad. The above-mentioned cutting and polishing machines

could make an inch cut in a block three feet by three feet by one foot thick in an hour's time. The stone was carried by canal barges to Washington, D.C., often right to the building site.

- 1. Name of Landmark: Seneca Stone-Cutting Mill
- 2. Location: Northwest of the southern end of Tschiffely Mill Road and northwest of the Seneca Creek Aqueduct on the C&O Canal.
- 3. Present use: Part of the C&O Canal National Historical Park; the mill is in ruins and is overgrown.
- 4. Owner: Department of Natural Resources, State of Maryland
- 5. Date or period built: About 1837
- 6. Architectural description: The dimensions of the shell of the building were approximately 30' x 75' x 15'. The exterior walls were made of Seneca sandstone; massive wooden beams formed lintels for doors, windows, and pulley shaft openings. A stone-lined trough, 5' x 6', ran through the building and provided the water, diverted from the canal, to power the turbine which operated the cutting and polishing machines. Over the saws were perforated pipes from which water dropped to prevent the saws from over-heating.

7. Builder:

- 8. Original owner: Possibly John Parke Custis Peter, of the prominent Georgetown family, who in 1837 acquired a quarry in the area, the same date that the mill was built.
- 9. Historic association: An important feature of the Seneca quarry, this water-powered mill cut stone used in the construction of the original Smithsonian Institution building in 1849, as well as in the construction of the C&O Canal and many homes in Washington, D.C. and Georgetown. The mill was a vast improvement over the earlier method by which expert stonemasons would shape the blocks of stone by using hand tools. Yet the process was still slow and tedious; the stone was still quarried by hand and was brought to the mill in mule-drawn gondolas over a narrow-gauge railroad. The water, which the mill purchased from the C&O Canal Company, powered a turbine which drove a shaft in the stone trough running through the mill. This shaft provided the power via belts connected to pulleys overhead which operated the cutting and polishing machines. In an hour's time the saws could make an inch cut in a block three feet by three feet by one foot thick. The stone was carried by canal barges to Washington, D.C., often right to the building site.
- 10. <u>Bibliography</u>: 1. Balliff, Barbara. "Stone quarrying in Montgomery County, Maryland." Paper for a college course in history. University of Maryland. 1968.
 - Douglas, Paul and Jones, William. "Sandstones, Canals, and the Smithsonian." The Smithsonian Journal of ory. Spring, 1968.

- 3. <u>History of Potomac</u>. "Seneca, once a commercial center," by Claude W. Owen. Published by <u>Potomac Almanac</u>. Second edition, 1970.
- 4. Montgomery County Story. November 1971. "Seneca," by Jane Chinn Sween.
- 11. Researcher: Robert Kasparek 13409 Oriental St. Rockville, Md. 20853

Form 10-300 (Rev. 6-72) UNITED STATES DEPARTMENT OF THE INTERIOR .
NATIONAL PARK SERVICE

Market 1

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Type all entries - complete applicable sections) - . -

STATE					
M	aryland		3		
COUNTY			-		
M	ontgome	ry			
			-		
	FORNPS	1121	DMI	Y	

	NAME					
	Seneca Qu	arry				
	AND OR HISTORICS					
9	Potomac Red Sands	tone Company;	Seneca St	one Compar	ıy	
2.	LOCATION					
	STREET AND NUMBER:					
	Tschiffeley Mill	Road				
	CITY OF TOWN:		(CONGRESSION		A complete of the standard section in the
	Seneca	and the second second	STRUCKEN AND SHAP HAD	Eigh	nth	
	STATE		COLUE	COUNTY		100
	Maryland		24	Mont	omery	0.51
3.	CLASSIFICATION					
	CATEGORY (Check One)	0	WNERSHIP		STATUS	ACCESSING TO THE PUBL
	District X Building	Public F	Public Acquisiti	on:	Occupied	Yes
	XX Site Structure	Private	In Proc	C\$5	XX Unoccupied	Restricted
	[] Object	XX Both	Being (Considered	Preservation work	Unrestricte
			TOPA -		in progress	XI No
	FRESENT USE /Cherk One or A	I				
	V		Park *			ren e
	The Control of the Co	independent entre			Transportation	Comments
	Educational Mi	NO. 000 100 100 100 100 100 100 100 100 10	Private Resider	ice	Other (SpecHy)	******
	Entertainment Mi	1	Religious Scientific	440		
		75 CU(I) []	actentitic			
4.	OWNER OF PROPERTY					and the second of the second
	Multiple, Private	and Public				
	STREET AND NUMBER:		No management of			
	STARET AND HOMBER					
	2174	A CONTRACTOR OF THE STREET		- DIATE:		
	CITY OR TOWN:			Si Di Ali Desis		- F. t. J
!	L	010.710.11				
	LOCATION OF LEGAL DESC				and the second of the second o	
	Montgomery County					
	STREET AND NUMBER:					
1	E. Montgomery Aven	ue and N. Wash	ington St	reet		
	SITY OR TOWN:	content as contracts a second		- (STATE		
				Mary 1	and	- 24
	KOCKVIIIC			100000		-
	. Rockville "					
		INC CUBULYS	-			
. F	REPRESENTATION IN EXIST	ING SURVEYS				
. F	REPRESENTATION IN EXIST		tes and L	andmarks.		
. F	REPRESENTATION IN EXIST	of Historic Si			Lifernity	Local
. F	REPRESENTATION IN EXIST THAT I SHOW I	of Historic Si 970	tes and L		Loudy	Local
. F	REPRESENTATION IN EXIST THE TOTAL ARROYS. Mary Land Register DATE OF SURVEY: 1 DEEPOSITORY FOR SURVEY RE	of Historic Si 970 coses			Loudy	1 ocal
. F	REPRESENTATION IN EXIST OTHER RESURVEY. DATE OF SURVEY. Maryland Historica	of Historic Si 970 coses			1 County	Local
) F	Maryland Register THE OF SURVEY 1 CATE OF SURVEY RE Maryland Historica STREET AND NUMBER:	of Historic Si 970 coses			Loundy	Local
S. F	REPRESENTATION IN EXIST OTHER RESURVEY. DATE OF SURVEY. Maryland Historica	of Historic Si 970 coses			1 Loundy	Local

		1
	į	7
	ſ	T
3	-	
	7	-
	L	-
8		-
	7	U
(-
,		7
*		
		1
	•	
C		
2	7	
U	-	Ý

1.0450. 4		(Chec.	k (Ine)	
CONDITION	[] Excellent [] G	od Fair Dete	riorated Ruins	Unexposed
COMDITION	(Che	ck One)	(Ch	eck One)
	_ Altered	XX Unaltered	X Moved	1 Original Site

The Seneca Quarry is located on the Chesapeake and Ohio Canal and the east bank of the Potomac River about twenty-five miles northwest of Washington, near the village of Seneca, Maryland. The north retaining wall of the canal, a culvert to conduct a small creek under the canal at the west end of the quarry, and the Seneca Aqueduct, which carries the canal over Seneca Creek, are constructed of the local Seneca stone.

Only two buildings stand in the designated area: the cutting building at the east side of the quarry, and a duplex on the hill overlooking the quarry and river. Both structures are in ruins and are constructed of Seneca stone.

The cutting building for "working" architectural blocks was built probably in the 1830's, and doubled in size to its present dimensions sometime later than 1830. The four exterior and center walls, of Seneca stone, are standing and are reasonably sound. There are no remains of the timber roof or other wood portions. From the gable (south) which faces the canal, the outline of a low-pitched roof can be traced. The stone is rough finished in rectangular blocks.

Probably dating from mid nineteenth century, the duplex on the hill is built of rough rubble stone laid in regular courses except at the corners, sills, and lintels. On the east facade, the latter are smooth finish, rectangular blocks. Some of the same smooth blocks were used as paving, leading to the two east doors. The two and one-half story structure had two rooms on each floor of each unit. A single fireplace was located in each west room. Most of the south gable has collapsed beneath the 'A' roof. One dormer on each side of the roof lights the attic chambers.

The major part of the quarry is located south and southwest of the duplex. Its red walls and rough floor are overgrown with an accumulation of vegetation and look as though they had never been disturbed.

M17-5

SMITHSONIAN INSTITUTION UNITED STATES NATIONAL MUSEUM WASHINGTON, D.C. 20560

STONE CUTTING AND DRESSING BUILDING OF THE SENECA QUARRY

Seneca, Montgomery County, Maryland (77°21' W x 39°04'H)

The Seneca quarries and the associated cutting and dressing building are located on the Chesapeake & Ohio Canal and the banks of the Potomac River about 25 miles northwest of Washington, near the town of Seneca. In the 1780s the red sand stone (or freestone) from the quarries was used in the construction of the locks of the skirting canal around the Great Falls of the Potomac on the Virginia side of the river; in the 1820s the C&O Canal's Seneca Aqueduct and a number of locks in the area were built of the stone; and in 1847-8 the Smithsonian Institution building was constructed of Seneca stone after a long and scientifically conducted for the most durable stone in the Washington area.

The cutting building for working architectural blocks was built probably in the 1830s. doubled in size to its present dimensions sometime later. The finishing machinery was powered by water drawn from the Canal, dropping through a wheel or turbine into Seneca Creek at a lower level. The rough blocks were brought to the shed by mule cars on a narrow-gauge track and the finished stone was transported to Washington by the Canal. In addition to the Smithsonian building. Seneca stone is seen all over the Capital in buildings great and small as well as in fences, walls and other architectural features. The quarry ceased commercial operations in about 1900 as the veins of good stone ran out.

The property that includes the quarry ledges and the cutting shed is at presently privately owned by Mrs. Harry Y. Pierpoint of Chevy Chase and Seneca. The shed is in essentially ruinous condition. The four exterior and center walls, of Seneca stone, are standing, reasonably sound. There are no remains of the timber roof, or other wood portions of the building. The only evidence of the operational features of the building is a longitudinal trench in the floor that contained the main drive shaft, and several foundation blocks for machinery.

The quarry was described by Paul H. Douglas & William K. Jones in Sandstone, Canals, and the Smithsonian, in the Smithsonian Journal of History, Spring, 1968, pp 41-58.

SENECA QUADRANGLE
USGS 7.5 minute map
scale: 1: 24 000
1952

Lat. 39° 04' 15" Long. 77° 21' 05"

SENECA QUARRY

Lat. - 39° 04' 03" Long. 77° 21' 04" Lat. 39° 041 15" Long. 77° 20' 26"

Lat. 39°·04' 02.5". Long. 77° 20' 26"

Jako an ini

Painty processing of

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE	
Maryland	M:17-53
COUNTY	
Montgomery	
FOR NPS USE	ONLY
ENTRY NUMBER	DATE
*	

1.	NAME		-0		
	common: Seneca Quarry				
	AND/OR HISTORIC: Potomac Red San	dstone Compan	ıy; Sene	ca Stone Company	
2.	LOCATION				
	Tschiffeley Mill Road				
	CITY OR TOWN: Seneca				
	STATE:	CODE	COUNTY:		COD
	Maryland	24	Montgo	omery	031
3.	PHOTO REFERENCE				
	PHOTO CREDIT: Michael Bourne				
	DATE OF PHOTO: March 20, 1972				
85	NEGATIVE FILED AT: Maryland His 2525 Riva Ro.			and 21401	
4.	IDENTIFICATION				
	DESCRIBE VIEW, DIRECTION, ETC.				
	West elevati	on			

GPU 921-737



PROPERTY	PHOTOGRA	PH FORM

(Type all entries - attach to or enclose with photograph)


NATIONAL REGISTER OF HISTORIC PLACES

	Maryland	H:17-53
COL	YTML	
	Montgomery	
	FOR NPS USE	ONLY
	ENTRY NUMBER	DATE
_	A SUPPLIES OF THE PROPERTY OF	

1. NAME Seneca Quarry AND OR HISTORIC: Potomac Red Sandstone Company; Seneca Stone Company 2. LOCATION STREET AND NUMBER: Tschiffeley Mill Road \supset CITY OR TOWN: 2 Seneca STATE: CODE COUNTY: CODE 24 Montgomery 031 Maryland PHOTO REFERENCE Michael Bourne PHOTO CREDIT: March 20, 1972 DATE OF PHOTO: Maryland Historical Trust ш NEGATIVE FILED AT: 2525 Riva Road, Annapolis, Maryland 21401 4. IDENTIFICATION DESCRIBE VIEW, DIRECTION, ETC. Cutting Building, west elevation

GPO 921-737






4:17-53

STONE CUTTING AND DRESSING BUILDING Seneca - Mentgomery County - Maryland

The Seneca quarries and cutting building are located along the banks of the Potomac River 25 miles northwest of Washington, D.C., near the town of Seneca, Maryland (77°21' W X 39°04'N). In the 1780's the freestone from the quarries was used in the construction of the skirting canals around the Great Falls of the Potomac on the Virginia side of the river; in the 1820's and 1830's various sections of the Chesapeake and Ohio Canal were lined with Seneca stone; and in 1847 the Smithsonian institution in Washington, D.C., was constructed of red Seneca freestone.

The cutting and dressing building for the quarried stone was probably built in the 1830's, when water from the Chesapeaks and Ohio Canal was available as a source of power. A divisionary stream from the canal supplied a turbine which drove a shaft located in a trench in the building. From the shaft the stone saws and polishers were driven by a system of pulleys and flat beits. Stones from the quarries were brought to the building in mule-drawn gondless ever a narrow guage railroad tracks finished stone could be shipped easily to the Woshington area.

The building was measured and photographed in January 1968 by a team consisting of William K. Janes, Curator of History at the Museum of the Great Plains, Lawton, Oklahoma, and Paul Douglas and Michael Robbins, pre-doctoral candidates in American Studies at the George Washington University, under the sponsorship of the Smithsonian institution.



BRAWN ST. MARY B. SMITH

DIVISION OF MECHANICAL & CIVIL ENGINEERING MUSEUM OF HISTORY & TECHNOLOGY, S.I. MADER MADERING OF THE HATDONAL PARK SERVICE. HAME AND LOCATION OF STRUCTURE

STONE CUTTING BUILDING - SENECA, MARYLAND

SAMLEA BR

HISTORIC AMERICAN BUILDINGS SURVEY MEET 1 OF 2 MEETS A10

U.S.G.S. MAP

SENECA, MD.

Golf Course

4327

4331

4330

QUARRY MASTERS

Lock 24 Picnic Areas

Rush SENECA STONE CUTTING

SENECA

POTOMAC

Sharpshin I

MONTGOMERY CO LOUDOUN CO

LOWES ISLAND

M: 17-53 Seneca Stone Mill Tschiffeley Mill Road, Seneca Jennifer K. Cosham, 3 November 2007 East facade



Exterior, southeast corner, facing southwest



M: 17-53 Seneca Stone Mill Tschiffeley Mill Road, Seneca Jennifer K. Cosham, 3 November 2007 Viewed from hill above, facing south



Interior, facing north




M: 17-53 Seneca Stone Mill Tschiffeley Mill Road, Seneca Jennifer K. Cosham, 3 November 2007 Interior, south room, facing south wall



Exterior, east wall of building, fallen block showing quarrying marks.



M: 17-53 Seneca Stone Mill Tschiffeley Mill Road, Seneca Jennifer K. Cosham, 3 November 2007 Interior, south room, facing north. Machinery trough.



M: 17-53
Seneca Stone Mill
Tschiffeley Mill Road, Seneca
Jennifer K. Cosham, 3 November 2007
Interior, looking through doorway from south room into north room





Seneca Stone Cutting Mill Great Seneca Creek at the Potomac River Seneca State Park

NW Elevation MontCtv.Hist.Soc



M 17-53

Seneca Stone Cutting Mill Great Seneca Creek at the Potomac River

SW Elevation


Mont.Cty.Hist.So



Seneca Sandstone Cutting Mill Seneca State Park Seneca, MAryland

SE Elevation 3/79 BMD





M: 17-53



4:17-53